BRAIN RESEARCH

VOL. 732 NOS. 1,2 **CONTENTS** **2 SEPTEMBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Evidence for divergent projections to the brain noradrenergic system and the spinal parasympathetic system from Barrington's nucleus
R.J. Valentino, S. Chen, Y. Zhu and G. Aston-Jones (USA) 1

Transforming growth factors-β protect primary rat hippocampal neuronal cultures from degeneration induced by β-amyloid peptide
R.F. Ren and K.C. Flanders (USA) 16

Preprotachykinin and preproenkephalin mRNA expression within striatal subregions in response to altered serotonin transmission
P.D. Walker, J.G. Capodilupo, W.A. Wolf and L.R. Carlock (USA) 25

Nerve growth factor induced modification of presynaptic elements in adult visual cortex in vivo
Y. Liu, K.F. Meiri, M.S. Cynader and Q. Gu (Canada, USA) 36

Effects of dark-rearing on the vascularization of the developmental rat visual cortex
E.G. Argandoña and J.V. Lafuente (Spain) 43

Comparison of neurotrophin regulation of human and rat neuropeptide Y (NPY) neurons: induction of NPY production in aggregate cultures derived from rat but not from human fetal brains
A. Barnea, N. Aguila-Mansilla, H.T. Chute and A.A. Welcher (USA) 52

In vivo visualization of hippocampal cells and dynamics of Ca^{2+} concentration during anoxia: feasibility of a fiber-optic plate microscope system for in vivo experiments
M. Hirano, Y. Yamashita and A. Miyakawa (Japan) 61

Inductions of Cu/Zn superoxide dismutase- and nitric oxide synthase-like immunoreactivities in rabbit spinal cord after transient ischemia
M. Watanabe, M. Sakurai, K. Abe, M. Aoki, M. Sadahiro, K. Tabayashi, K. Okamoto, M. Shoji and Y. Itoyama (Japan) 69

Immunocytochemical analysis of gangliosides in rat primary cerebellar cultures using specific monoclonal antibodies
I. Kawashima, I. Nagata and T. Tai (Japan) 75

Determination of intracellular Ca^{2+} concentration can be a useful tool to predict neuronal damage and neuroprotective properties of drugs
D. Ferger and J. Krieglstein (Germany) 87

Chronic intermittent salt loading enhances functional recovery from polydipsia and survival of vasopressinergic cells in the hypothalamic supraoptic nucleus following transection of the hypophysial stalk
Y.-S. Huang and H.D. Dellmann (USA) 95

Metallothionein induction by bismuth in neonatal rat primary astrocyte cultures
K. Cowan, D. Conklin and M. Aschner (USA) 106

Evidence that D_2 receptor-mediated activation of hypothalamic tuberoinfundibular dopaminergic neurons in the male rat occurs via inhibition of tonically active afferent dynorphinergic neurons
R.A. Durham, J.D. Johnson, K.E. Moore and K.J. Lookingland (USA) 113

Kainic acid increases the expression of the prohormone convertases furin and PC1 in the mouse hippocampus
A. Meyer, P. Chrétien, G. Massicotte, C. Sargent, M. Chrétien and M. Marcinkiewicz (Canada) 121

Behavioral and neurochemical alterations caused by diet restriction – the effect of tyrosine administration in mice
Y. Avraham, O. Bonne and E.M. Berry (Israel) 133

5-HT_{1A} and benzodiazepine receptors in the basolateral amygdala modulate anxiety in the social interaction test, but not in the elevated plus-maze
L.E. Gonzalez, N. Andrews and S.E. File (UK) 145

Characterization of dentatorubral-pallidoluysian atrophy proteins using two-dimensional electrophoretic analysis
I. Yazawa, N. Nukina and I. Kanazawa (Japan) 154

Response of medial medullary reticular neurons to otolith stimulation during bidirectional off-vertical axis rotation of the cat
Y.S. Chan, C.W. Chen and C.H. Lai (Hong Kong) 159

Inhibition of regulatory volume decrease in swollen rat primary astrocyte cultures by methylmercury is due to increased amiloride-sensitive Na^+ uptake
D. Vitarella, H.K. Kimelberg and M. Aschner (USA) 169

Intracellular localization of cyclin-dependent kinase 5 (CDK5) in mouse neuron: CDK5 is located in both nucleus and cytoplasm
H. Ino and T. Chiba (Japan) 179

Skilled motor deficits in rats induced by ventrolateral striatal dopamine depletions: behavioral and pharmacological characterization
M.S. Cousins and J.D. Salamone (USA) 186

(contents continued on p. 271)

0006-8993(19960902)732:1/2;1-U

BRAIN RESEARCH

VOL. 732 NOS. 1,2 **CONTENTS** **2 SEPTEMBER 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Evidence for divergent projections to the brain noradrenergic system and the spinal parasympathetic system from Barrington's nucleus
R.J. Valentino, S. Chen, Y. Zhu and G. Aston-Jones (USA) 1

Transforming growth factors-β protect primary rat hippocampal neuronal cultures from degeneration induced by β-amyloid peptide
R.F. Ren and K.C. Flanders (USA) 16

Preprotachykinin and preproenkephalin mRNA expression within striatal subregions in response to altered serotonin transmission
P.D. Walker, J.G. Capodilupo, W.A. Wolf and L.R. Carlock (USA) 25

Nerve growth factor induced modification of presynaptic elements in adult visual cortex in vivo
Y. Liu, K.F. Meiri, M.S. Cynader and Q. Gu (Canada, USA) 36

Effects of dark-rearing on the vascularization of the developmental rat visual cortex
E.G. Argandoña and J.V. Lafuente (Spain) 43

Comparison of neurotrophin regulation of human and rat neuropeptide Y (NPY) neurons: induction of NPY production in aggregate cultures derived from rat but not from human fetal brains
A. Barnea, N. Aguila-Mansilla, H.T. Chute and A.A. Welcher (USA) 52

In vivo visualization of hippocampal cells and dynamics of Ca^{2+} concentration during anoxia: feasibility of a fiber-optic plate microscope system for in vivo experiments
M. Hirano, Y. Yamashita and A. Miyakawa (Japan) 61

Inductions of Cu/Zn superoxide dismutase- and nitric oxide synthase-like immunoreactivities in rabbit spinal cord after transient ischemia
M. Watanabe, M. Sakurai, K. Abe, M. Aoki, M. Sadahiro, K. Tabayashi, K. Okamoto, M. Shoji and Y. Itoyama (Japan) 69

Immunocytochemical analysis of gangliosides in rat primary cerebellar cultures using specific monoclonal antibodies
I. Kawashima, I. Nagata and T. Tai (Japan) 75

Determination of intracellular Ca^{2+} concentration can be a useful tool to predict neuronal damage and neuroprotective properties of drugs
D. Ferger and J. Krieglstein (Germany) 87

Chronic intermittent salt loading enhances functional recovery from polydipsia and survival of vasopressinergic cells in the hypothalamic supraoptic nucleus following transection of the hypophysial stalk
Y.-S. Huang and H.D. Dellmann (USA) 95

Metallothionein induction by bismuth in neonatal rat primary astrocyte cultures
K. Cowan, D. Conklin and M. Aschner (USA) 106

Evidence that D_2 receptor-mediated activation of hypothalamic tuberoinfundibular dopaminergic neurons in the male rat occurs via inhibition of tonically active afferent dynorphinergic neurons
R.A. Durham, J.D. Johnson, K.E. Moore and K.J. Lookingland (USA) 113

Kainic acid increases the expression of the prohormone convertases furin and PC1 in the mouse hippocampus
A. Meyer, P. Chrétien, G. Massicotte, C. Sargent, M. Chrétien and M. Marcinkiewicz (Canada) 121

Behavioral and neurochemical alterations caused by diet restriction – the effect of tyrosine administration in mice
Y. Avraham, O. Bonne and E.M. Berry (Israel) 133

5-HT_{1A} and benzodiazepine receptors in the basolateral amygdala modulate anxiety in the social interaction test, but not in the elevated plus-maze
L.E. Gonzalez, N. Andrews and S.E. File (UK) 145

Characterization of dentatorubral-pallidoluysian atrophy proteins using two-dimensional electrophoretic analysis
I. Yazawa, N. Nukina and I. Kanazawa (Japan) 154

Response of medial medullary reticular neurons to otolith stimulation during bidirectional off-vertical axis rotation of the cat
Y.S. Chan, C.W. Chen and C.H. Lai (Hong Kong) 159

Inhibition of regulatory volume decrease in swollen rat primary astrocyte cultures by methylmercury is due to increased amiloride-sensitive Na^+ uptake
D. Vitarella, H.K. Kimelberg and M. Aschner (USA) 169

Intracellular localization of cyclin-dependent kinase 5 (CDK5) in mouse neuron: CDK5 is located in both nucleus and cytoplasm
H. Ino and T. Chiba (Japan) 179

Skilled motor deficits in rats induced by ventrolateral striatal dopamine depletions: behavioral and pharmacological characterization
M.S. Cousins and J.D. Salamone (USA) 186

(contents continued on p. 271)

0006-8993(19960902)732:1/2;1-U

(contents continued)

The dephosphorylation of glial fibrillary acidic protein (GFAP) in the immature rat hippocampus is catalyzed mainly by a type 1 protein phosphatase
L. Vinadé and R. Rodnight (Brazil) 195
Enhancement of paired-pulse depression in the dentate gyrus in vivo by the NMDA antagonist, MK-801, and electrical kindling
M.E. Gilbert and L.J. Burdette (USA) 201
Effect of hyperthermia on hippocampal synaptic transmission and CA3 kindling in developing rats
Y. Minamiura, K. Hirayama, R. Murata and S. Matsuura (Japan) 209
Spontaneous circadian and light-induced expression of *junB* mRNA in the hamster suprachiasmatic nucleus
M.E. Guido, B. Rusak and H.A. Robertson (Canada) 215

Short communications

Ultrastructural localization of the kainate selective glutamate receptor in noradrenergic perikarya and dendrites of the nucleus locus coeruleus in the rat brain
E.J. Van Bockstaele and E.E.O. Colago (USA) 223
Protective effect of MK-801 on the anoxia–aglycemia induced damage in the fluorocitrate-treated hippocampal slice of the rat
H. Nakanishi, A. Kawachi, M. Okada, M. Fujiwara and K. Yamamoto (Japan) 232
Late development of Zif268 ocular dominance columns in primary visual cortex of primates
L.C.L. Silveira, F.M.G. De Mátos, A. Pontes-Arruda, C.W. Picanço-Diniz and J.A.P. Muniz (Brazil) 237
The effects of morphine on carrageenin-induced spinal c-Fos expression are completely blocked by β-funaltrexamine, a selective μ-opioid receptor antagonist
P. Honoré, J. Buritova and J.-M. Besson (France) 242
Localization of neuronal nitric oxide synthase-immunoreactivity within sub-populations of noradrenergic A_1 and A_2 neurons in the rat
S.X. Simonian and A.E. Herbison (UK) 247
Distribution of mossy fibres in the hippocampus of two closely related species of mice
J. Donovan and L. Slomianka (Australia) 253
Chronic nicotine treatment delays the developmental increase in brain muscarinic receptors in rat neonate
J. Zhu, M. Takita, Y. Konishi, M. Sudo and I. Muramatsu (Japan) 257
Adenosine by activating A_1 receptors prevents $GABA_A$-mediated actions during hypoxia in the rat hippocampus
R. Lucchi, S. Latini, A. De Mendonça, A.M. Sebastião and J.A. Ribeiro (Portugal) 261

Corrigenda

Characterization of a sheep brain corticotropin releasing factor binding protein. (Brain Research 709 (1996) 265-274) (BRES 11959)
D.P. Behan, D. Cepoi, W.H. Fischer, M. Park, S. Sutton, P.J. Lowry and W.W. Vale (USA) 267
Ketamine antagonizes hypoxia-induced dopamine release in rat striatum (Brain Research 693 (1995) 233–245) (BRES 11530)
Y. Wang, A.L. Chiou, S.T. Yang and J.C. Lin (Taiwan) 268

Author Index 269